

## Notes:

- 1. Manufactured to ASTM C478, C923M Specs.
- 2. Min. concrete strength: 35 MPa.
- 3. Reinforcing in walls and bottom slab.
- 4. Min. 150mm wall on base section.
- 5. Min. 150mm thickness below pipe invert.
- 6. All benching has metal trowel finish.
- 7. Min. 25 mm fall carried through base.
- 8. All dimensions in millimeters.



## **DESCRIPTION:**

## Prebenched Manhole **Base Detail**

www.langleyconcretegroup.com

CHILLIWACK 1-800-667-9600

DRAWN BY:		JAO	7	ORIGIN: CHWK
SCALE:		1:20		DRAWING NO:
DATE:	Sep/1	Sep/13/2009		
This drawing is the property of the Langley Concrete Group of Companies, All information contained herein is confidential and may not be used in whole or in part without writtten permission form the owner.			al	Mhb-1

LANGLEY (604)533-1656

VICTORIA (250) 478-9581