

PART LIST				
ITEM	QTY	PART NUMBER	WEIGHT	
1	1	Type F2 Pole Base	4,300 kg.	
2	2	5 x 110 Lifting Insert		
3	3 4 25 x 1220 Galvanized Anchor Bolts			


- 1. "Type F2" concrete pole base to be built as shown.
- 2. Concrete base to have 4-Ø25 x 1220mm, 243 mm c/c Grade 150 DYWIDAG galvanized anchor bolts inserted as shown. See MMCD DWG # CE1.13, CE1.14 & CE1.16.
- 3. Unit c/w lifting inserts as required.
- 4. Unit Supplied with Nuts and Washers as required.
- 5. Unit Supplied with Conduits as required.
- 6. Minimum concrete strength: 30 MPa.
- 7. All dimensions are in millimeters.
- 8. Installation & backfilling is the responsibility of others.
 9. V- Groove Drain Trough to Start at Zero Depth in Centre of Base to 10mm at the Outside edge. Align with Conduit.

Note: 25mm Spacing between Conduits



Base type shall be imprinted in concrete with 25mm letter. Locate imprint so it is visible after pole Installation





Isometric View

Elevation View

Langley Concrete Group is a certified Q-Cast Plant, an American Concrete Pipe Association Third Party Certification for the manufacture of Pipe, Manhole,



Quality Assurance of products manufactured by The Langley Concrete Group has been verified by the following third party certification programs



All Dimensions are in Millimeters. Unless otherwise Stated

Projection Method: THIRD ANGLE



The **LANGLEY CONCRETE** Group of Companies

www.langleyconcretegroup.com LANGLEY (604) 533-1656 VICTORIA (250) 478-9581 CHILLIWACK 1-800 667-9600

This drawing is the property of the angley Concrete Group of Companies. All information contained herein

is confidential and may not be used in whole or in part without written permission from the owner DESCRIPTION:

Precast Concrete Pole Base TYPE F2 **MMCD Specification**

	DRAWN BY:		JOB NO.	
	BY			
	CHK BY: KS		DWG NO: LPB-TYPE F2-MMCD	
	DATE:		LC NO:	
	Dec	.18, 2019		
	SCALE: 1:2 0)	MU NO:	
	SIZE 11 x 17	REV.	SHEET 1 OF 1	